

Key	Action	Alt Keys
<-1>	Open help window	:in:help
:	Start command line mode	:
C-V	Disable Vimperator keys	C-V
C-c	Escape next key	C-c:stop:st
<Nop>	Stop loading	<Nop>
<Esc>	Focus content	C-]
<count>f	Focus next frame	f
<count>lf	Focus previous frame	lf
b	Open a prompt to switch buffers	b
B	Toggle buffer list	B
<count>gb	Repeat last :buffer[] command	gb
<count>gr	Repeat last :buffer[] command (reverse)	gr
<count>d	Delete current buffer and <count> right	d
<count>D	Delete current buffer and <count> left	D
gH	Go Home	gH
gH	Go home in new tab	gH
M	Create a QuickMark from URL	M
go (a-zA-Z0-9)	Jump to a QuickMark in current tab (see M)	go
gn (a-zA-Z0-9)	Jump to a QuickMark in new tab (see M)	gn
gp	Open url based on clipboard	gp
m(a-zA-Z0-9)	Set a mark at current cursor position	m:mark:ma
<count>gt	Jump to the mark in current buffer (see m)	gT:tabn:tabnext
<count>gT	Go to the next tab	gT:tabn:tabprevious
C-v	Go to the previous tab	C-6:tabd:tablast
O	Alternate tabs	O
O	Open URL in current tab	O
P	Open URL in current tab, based on location	P
P	Open URL based on clipboard in current tab	P
r	Open URL based on clipboard in new tab	r:reload
R	Reload / Refresh	R:reload[]
T	Reload / Refresh skipping the cache	T
T	Open URL in new tab	T
T	Open URL in new tab, based on location	T
u	Undo closing of tab	u:count undo:u
Y	Copy selected text	Y
Y	Yank current location to the clipboard	Y
z	Zoom in current page by 25%	zI+
z	Zoom in current page by 100%	zI
z	Zoom out current page by 25%	zO-
z	Zoom out current page by 100%	zO
ZZ	Quit and save session	:xall:wqall:wq:wq:xa
\$	Scroll to absolute left	\$
\$	Scroll to absolute right	\$
<count>gg	Go to top of page - 35gg 35% from top	<Home>
<count>G	Go to bottom of page - 35G 25% from bottom	<End>
<count>h	Scroll page to left	<Left>
<count>l	Scroll page to right	<Right>
<count>k	Scroll page up	<Up>
<count>l	Scroll page to right	<Right>
<count>C-d	Scroll page down - x lines in 'scroll' option	C-d
<count>C-u	Scroll page up - x lines in 'scroll' option	C-u
<count>C-b	Scroll up a full page	C-b
<count>C-f	Scroll down a full page	C-f
<count>C-g	Print the current file name, size and modify date	C-g
gC-9	Print file information	:pageinfo[]
<count>C-o	Go to an older position in jump list (history)	C-o
<count>C-i	Go to a newer position in jump list (history)	C-i
<count>H	Go back x pages	H<A-Left><M-Left>
<count>L	Go forward x pages	L<A-Right><M-Right>
<count>gu	Go to parent directory	gu<BS>
gu	Go to website root	gu<C-BS>
f	Start QuickHint mode - follow this by hinting	f
F	Start AlwaysHint mode	F
:	Start Extended hint mode * more info	:
/	Search forward for pattern	/
?[pattern]?<CR>	Search backwards for a pattern	? /
n	Find forward from previous search pattern	n
N	Find previous from last search pattern	N

Command	Action	Alt commands
:<count>bd delete	Show browser extensions and themes	:addons:adddo
:beep	Delete current buffer (tab)	:delete:bd:bwipeout:bw:download:burn:tabclose:tabc
:bookmark	Play a system beep	:beep
:marks filter	Add a bookmark (-t custom title) (no url = current page)	:mark:bookmark
:marks!	Show bookmarks	:marks!
:delbn marks [url]	Show bookmarks - firefox style	:delbnmarks:delbn
:download loads	Delete bookmark that matches url	:downloads:downl:dl
:download loads	Show download progress window	:hardcopy:ha
:download loads	Print current document	:hardcopy:ha
:buffer [url index]	Go to a buffer from buffer list	:buffer: b
:buffers	Go to a list of all buffers	:buffers:files: s:tabs
:echo [expr]	Display a string at the bottom of the window	:echo: ec
:echo [expr]	Display a string at the bottom of the window in red	:echo red: echor
:execute [cmd] [...]	Execute the string that results from evaluation of {expr}	:execute: exe
:history [filter]	Show recently visited URLs	:history:hist: hs
:history!	Show recently visited URLs - firefox style	:history!:hist! hsi
:javascript [cmd]	Run any JavaScript command through eval()	:javascript: jvas:jjs
:delq marks [url]	Delete the specified QuickMarks - [!] Delete all	:delqmarks:delqmq
:mark [url]	Mark a URL for quick access	:mark:qma
:marks	Show all QuickMarks - or limit to [arg]	:marks
:save [url]	Save current web page to disk	:saveas: sav:write:w
:delmarks [delm]	Delete the specified marks for current buffer - [!] Delete all in buffer	:delmarks:delm
:marks	Show all marks of current web page	:marks
:tab [cmd]	Execute [cmd] and output to new tab - (see :tab help, :tab prefs[])	:tab
:tab [cmd]	Move the current tab after tab N	:tabmove:tabm
:tab [cmd]	Close all other tabs	:tabonly:tabo
:open [url]	Open one or more URLs in the current tab	:open:o: edit:e
:normal [norm]	use keybindings in command mode - ex: normal 20j	:normal: norm
:p [cmd]	Close preview window	:p close: pc
:preferences [pref]	Show browser preferences - [!] show about:config	:preferences: pref: prefs
:reload [url]	Reload / Refresh all pages - [!] skip cache	:reload all: reloda
:set [option]	Permanently change an option	:set: se
:tabopen [url]	Open one or more URLs in a new tab	:tabopen: topen:t: tabnew: tabedit: tabe
:tab [cmd]	Switch to first tab	:tab rewind: abr: tabfirst: tabfr
:undo [all]	Undo closing of all closed tabs - 10 max	:undoall: undoa
:count time [code :command]	Runs {code} {count} times	:time
:let {var-name}	Sets or lists a variable	:let
:z [value]	Set zoom value of the web page	:zoom:zo
:z [value]	Set zoom value relative to current page	:zoom:zo
:z [value]	Write key mappings to ~/.vimperatorrc or [file]	:mkvimperatorrc: mkv
:z [value]	Quit current tab - Quit Vimperator if last tag	:quit: q
:z [value]	Quit Vimperator - no matter what - no session save	:quitall: quita: qall: qa
:z [value]	Open the sidebar pane - (name) = Add-ons, Downloads etc	:sidebar: sideb: sbar: sb: shopen: shopes
:z [value]	Close the sidebar pane	:s close: s cl
:z [value]	Read Ex commands from {file} - [!] Errors not printed	:source: so
:z [value]	Deletes a variable	:unset: unl
:z [value]	Remove the mapping of {lhs}	:unmap: unm
:z [value]	Show version information - [!] Firefox version	:version: ve
:z [value]	Show help for normal commands	:v usage: vui
:z [value]	Close window	:w nclose: w nc
:z [value]	Open one or more URLs in a new window	:w nclose: w nc
:z [value]	Map the key sequence {lhs} to {rhs}	:w nclose: w nc
:z [value]	Remove all mappings	:w nclose: w nc
:z [value]	Run a command	:w nclose: w nc
:z [value]	Go back in browser history [!] to beginning of history	:back: ba
:z [value]	Go forward in browser history [!] to end of history	:forward: fo: fw
:z [value]	Remove search highlighting	:nohl search noh